Specifications

General	
Dimensions (H x W x D)	103 mm x 56 mm x 34 mm
Weight	180 g (with battery)
Screen	2.4-inch
Storage Capacity	32 GB/64 GB/128 GB/256 GB
Battery Capacity	3200 mAh
Battery Life	13 hours
Positioning	GPS/BDS/GLONASS/GALILEO
Interface	USB 3.0 Type-C, supporting OTG
Camera	
Camera	Main camera x 1, front camera x 1
Night Vision	Infrared night vision
Night Vision Field of View	Infrared night vision 130° Diagonal
5	
Field of View	
Field of View Recording	
Field of View Recording	130° Diagonal
Field of View	130° Diagonal 1080p@30fps, 720p@30fps,
Field of View Recording Video Resolution	130° Diagonal 1080p@30fps, 720p@30fps, 480p@30fps
Field of View Recording Video Resolution Photo Resolution	130° Diagonal 1080p@30fps, 720p@30fps, 480p@30fps up to 36 MP

Reliability	
Reliability	
Certificate	IP68, MIL-STD-810H, CE, IC
Drop Test	1.5 meters
Operating Temperature	-20°C to + 60°C

Connectivity	
WLAN	802.11a/b/g/n/ac
3T	BT 5.1
NFC	Available
	Asian, European, and African version:
	GSM: 850/900/1800/1900
	CDMA: BC0
	WCDMA: B1/B3/B5/B8
	TDD-LTE: B34/B38/B39/B40/B41
Cellular Networks	FDD-LTE: B1/B3/B5/B7/B8/B20/B26/B28
	American version:
	GSM: 850/900/1800/1900
	WCDMA: B2/B4/B5/ B8
	TDD-LTE: B38/B40/B41
	FDD-LTE: B2/B3/B4/B5/B7/B12/B13/B17/
	B26/B28/B66



Better Capture, Greater Justice





Hytera Hytera Communications Corporation Limited Stock Code: 002583.SZ

Address: Hytera Tower, Hi-Tech Industrial Park North, 9108# Beihuan Road, Nanshan District, Shenzhen, P.R.C Tel: +86-755-2697 2999 Fax: +86-755-8613 713 Post:518057

Https://www.hytera.com marketing@hytera.com



luct design and specification. Should any printing mistake occ Hytera doesn't bear relevant responsibility. Little difference between real product and product indicated by printing materials will occur by printing reason.


HYT, Hytera are registered trademarks of Hytera Communications Corporation Limited. © 2024 Hytera Communications Corporation Limited. All Rights Reserved.



 $\overline{\bigcirc}$

The SC780 is a future-ready 4G LTE body camera. It unlocks next-level performance in recording. In addition to capturing extra-sharp, rock-steady videos with more details on the scene, the SC780 records up to 120 seconds before the sliding of the video recording key. In response to unforeseen circumstances, you will never worry about missing any shots of the critical events.

The SC780 is enabled with a basket of real-time connected features with Hytera System — HD video livestreaming, secured voice and video communications, intelligent scene aware, and then some. All connect on-site officers and control centers in real time, accelerating effective response.





USB 3.0 Type-C

Emergency Key

Photo Taking

Programmable

Programmable

Tagging Key

Programmable

Push-to-Talk (PTT) Key

• Easy to operate with big size



CAPTURE MORE TRUTH

In law enforcement activities such as traffic accident disposing, daily patrol, on-site investigation, and emergency response, body cameras provide objective records of interactions between officers and civilians. These critical evidence serve as the cornerstone to protect communities, strengthen public trust, and uphold justice.





130° Ultra-Wide FOV

Get much more crucial elements and surroundings of a scene into the frame, helping completely present how incidents unfolded.

Rock-steady Videos

Take supremely stable, blur-free shots while walking or running, thanks to the 6-axis image stabilization algorithm.

Record Sounds Soundly

Record authentic and detail-rich sounds perfect for critical evidence, even distant conversations up to 10 meters away, benefitting from two powerful microphones.







Completeness

120s Pre-recording/Post-recording

Capture events up to 120s prior to sliding the video recording key, and 120s after recording is stopped. This ensures that incident narratives are thorough, and credible sound.



Security



Protect evidence from unauthorized decryption and tampering through AES-256 encryption algorithm and digital signature verification with Hash value, during transmission and storage.



FACILITATE VISUALIZED DISPATCH

See It. Know It. Act on It.

The SC780 lets in-office dispatchers know on-site situations in a visual way, including real-time videos and device position on the map, enabling a quick response in emergencies.

Adaptive Bitrate Streaming (ABR)

Adjust video quality based on network conditions to ensure more reliable and smoother video.

Dual-stream Technology

Livestream video to the control center while saving footage locally.

Precise Positioning

Enhance positioning accuracy with a flexible combination of GPS, BDS, GLONASS, or Galileo satellite systems.





The SC780 senses light and motion in real time to detect whether the camera is blocked and the officer is down. If so, it automatically sends an alarm to the control center for evidence capture or immediate assistance.



PUSH TO TALK WITH SUPERB AUDIO



Just press the easy-to-locate, large PTT key on SC780, you can communicate with an individual or a group even during recording.

Communicate over Public Networks

Wherever there is a cellular signal, the SC780 can deliver voice, video, and multimedia data services.

Collaborate with DMR/TETRA Radio

With the Hytera converged communication system, the SC780 communicates with DMR or TETRA radios securely and stably.



Super Loudness

Ultra Clarity

Equipped with two 1.5 W powerful speakers, the SC780 delivers the audio with a maximum loudness of 85 dB at 30 cm away, making officers hear and be heard in highly noisy environments.

85dB@30cm¹

Loudness

Thanks to the Al-based noise cancellation algorithm, the SC780 can guickly separate the human voice from background noise within 20 ms, helping officers get right commands from the first word.







High Adjustment

30 cm **Howling Suppression**

Using the advanced howling suppression algorithm, the SC780 eliminates a screeching feedback noise when two body cameras are too close, even 30 cm away from each other.

MAXIMIZE WORK EFFICIENCY



The intuitive sliding design of the video recording key makes recording activation easier than ever. Its changes of physical position on the camera help officers to know whether the recording is on or off with a simple touch — so they can stay focused on what is happening without getting distracted.







NFC-enabled ID Switch

Easily bind the SC780 with the officer ID just by putting the ID card near the camera. At shift changes, the SC780 allows officers to switch the device account just by a tap, bringing a faster and more secure experience.





IP68 1.5-meter Water Resistance Drop Resistance

Oust Resistance
 Certificated with MIL-STD-810H, CE, and

- IP68, the SC780 performs well where you do in rainstorms, sandstorms, and any other harsh environments.
- Protected by robust liquid silicone housing, the SC780 resists 1.5-meter drops without worries of battery falling out.



13 hours Continuous video recording 3 to 5 minutes Uninterrupted power during battery replacement

The 3,200mAh main battery for up to 13-hour³ continuous recording at 720p (GPS on, LTE on). Another built-in backup battery powers the ongoing recording for 3 to 5 minutes in case of a power loss, e.g. main battery replacement. Zero downtime without compromise.

³ The time is measured in the lab and may vary from configuration.



Applications



Public Safety

Customs




Traffic





Market Surveillance


Solution



Accessories

Optional





Magnet Mount Use powerful magnet to grip your uniform tightly.

Chest Harness work safety.





Molle Mount Compatible with Molle system.

• 360° adjustable Anti-slip and stable





Multi-Unit Charger

- Standard

Battery

Belt Clip



USB Type-C Cable



Power Adapter